



Date, July 10th, 2015
TR n° **408-(EN)/2015**

Ref. Your Confirmation dated 19.02.2015

To

TUBI GOMMA TORINO S.p.A.

Strada Statale 31 - Km 39,4, n. 42

15040 MIRABELLO MONFERRATO (TO)

Received 09.06.2015

Start tests 23.06.2015

End tests 26.06.2015

Page 1 of 1

T E S T R E P O R T

Subject: SUITABILITY TO BE USED IN CONTACT WITH FOODS, ACCORDING TO FDA, OF A RUBBER COMPOUND, MARKED "BUTILE BIIR ST BIANCO", SUPPLIED AS VULCANIZED SHEETS 2 mm thick

RUBBER COMPOUND **(Sheets 200x200x2 mm)**

BUTILE BIIR ST **BIANCO**

Test methods

Requirements

AQUEOUS FOODS

Distilled water at reflux temperature

FDA-Title 21
Parts 170 to 199
Item 177.2600
(e)

Total extractable matter during the first 7 hours of extraction	mg/in ²	0,4	max 20
Total extractable matter during the succeeding 2 hours of extraction	mg/in ²	0,2	max 1

FATTY FOODS

n-Hexane at reflux temperature

FDA-Title 21
Parts 170 to 199
Item 177.2600
(f)

Total extractable matter during the first 7 hours of extraction	mg/in ²	41,8	max 175
Total extractable matter during the succeeding 2 hours of extraction	mg/in ²	1,6	max 4

REMARK: On the basis of the test results and on the basis of the recipe provided by the Customer, **we certifies** that the rubber compound marked "**BUTILE BIIR ST BIANCO**" **is in compliance** with the Requirements of the FDA - CFR 21 - Parts 170 to 199 - Item 177.2600 Paragraph (a), (b), (c), (d) of the use in contact with dry foods, (e) of the contact with aqueous foods and (f) of the contact with fatty foods.

The sampling has been carried out by the Customer.

The contained results refer only to the tested sample.

This report cannot be partially reproduced without the laboratory approval.


E. Badomer, **Operator**


F. Negroni, **Director**